

Introduction to Mobile Robotics

Bayes Filter – Kalman Filter

Wolfram Burgard, Cyrill Stachniss,
Maren Bennewitz, Kai Arras



Bayes Filter Reminder

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

1. Algorithm **Bayes_filter**($Bel(x), d$):
2. $\eta = 0$
3. If d is a perceptual data item z then
4. For all x do
5. $Bel'(x) = P(z | x) Bel(x)$
6. $\eta = \eta + Bel'(x)$
7. For all x do
8. $Bel(x) = \eta^{-1} Bel'(x)$
9. Else if d is an action data item u then
10. For all x do
11. $Bel'(x) = \int P(x | u, x') Bel(x') dx'$
12. Return $Bel(x)$

Kalman Filter


- Bayes filter with **Gaussians**
- Developed in the late 1950's
- Most relevant Bayes filter variant in practice
- Applications range from economics, weather forecasting, satellite navigation to robotics and many more.
- The Kalman filter "algorithm" is a couple of **matrix multiplications!**

Gaussians

$$p(x) \sim N(\mu, \sigma^2):$$

$$p(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{1}{2} \frac{(x-\mu)^2}{\sigma^2}}$$


Univariate




$$p(\mathbf{x}) \sim N(\boldsymbol{\mu}, \boldsymbol{\Sigma}):$$

$$p(\mathbf{x}) = \frac{1}{(2\pi)^{d/2} |\boldsymbol{\Sigma}|^{1/2}} e^{-\frac{1}{2} (\mathbf{x}-\boldsymbol{\mu})' \boldsymbol{\Sigma}^{-1} (\mathbf{x}-\boldsymbol{\mu})}$$


Multivariate



Gaussians



3D




2D

$$C = \begin{bmatrix} 0.020 & 0.013 \\ 0.013 & 0.020 \end{bmatrix}$$

$$\lambda_1 = 0.007$$

$$\lambda_2 = 0.033$$

$$\rho = \sigma_{XY} / \sigma_X \sigma_Y = 0.673$$



Video

Properties of Gaussians

- Univariate case

$$\left. \begin{array}{l} X \sim N(\mu, \sigma^2) \\ Y = aX + b \end{array} \right\} \Rightarrow Y \sim N(a\mu + b, a^2\sigma^2)$$

$$\left. \begin{array}{l} X_1 \sim N(\mu_1, \sigma_1^2) \\ X_2 \sim N(\mu_2, \sigma_2^2) \end{array} \right\} \Rightarrow p(X_1) \cdot p(X_2) \sim N\left(\frac{\sigma_2^2}{\sigma_1^2 + \sigma_2^2} \mu_1 + \frac{\sigma_1^2}{\sigma_1^2 + \sigma_2^2} \mu_2, \frac{1}{\sigma_1^{-2} + \sigma_2^{-2}}\right)$$

Properties of Gaussians

- Multivariate case

$$\left. \begin{array}{l} X \sim N(\mu, \Sigma) \\ Y = AX + B \end{array} \right\} \Rightarrow Y \sim N(A\mu + B, A\Sigma A^T)$$

$$\left. \begin{array}{l} X_1 \sim N(\mu_1, \Sigma_1) \\ X_2 \sim N(\mu_2, \Sigma_2) \end{array} \right\} \Rightarrow p(X_1) \cdot p(X_2) \sim N\left(\frac{\Sigma_2}{\Sigma_1 + \Sigma_2} \mu_1 + \frac{\Sigma_1}{\Sigma_1 + \Sigma_2} \mu_2, \frac{1}{\Sigma_1^{-1} + \Sigma_2^{-1}}\right)$$

(where division "-" denotes matrix inversion)

- We **stay Gaussian** as long as we start with Gaussians and perform only **linear transformations**

Discrete Kalman Filter

Estimates the state x of a discrete-time controlled process that is governed by the linear stochastic difference equation

$$x_t = A_t x_{t-1} + B_t u_t + \varepsilon_t$$

with a measurement

$$z_t = C_t x_t + \delta_t$$

Components of a Kalman Filter

A_t

Matrix ($n \times n$) that describes how the state evolves from t to $t-1$ without controls or noise.

B_t

Matrix ($n \times 1$) that describes how the control u_t changes the state from t to $t-1$.

C_t

Matrix ($k \times n$) that describes how to map the state x_t to an observation z_t .

ε_t

Random variables representing the process and measurement noise that are assumed to be independent and normally distributed with covariance Q_t and R_t respectively.

δ_t

Bayes Filter Reminder





- Prediction

$$\overline{bel}(x_t) = \int p(x_t | u_t, x_{t-1}) bel(x_{t-1}) dx_{t-1}$$

- Correction


$$bel(x_t) = \eta p(z_t | x_t) \overline{bel}(x_t)$$

Kalman Filter Updates in 1D



It's a weighted mean!

Kalman Filter Updates in 1D





How to get the blue one?
 → **Kalman correction step**

$$bel(x_t) = \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - \bar{\mu}_t) \\ \sigma_t^2 = (1 - K_t)\bar{\sigma}_t^2 \end{cases} \quad \text{with} \quad K_t = \frac{\bar{\sigma}_t^2}{\bar{\sigma}_t^2 + \bar{\sigma}_{obs,t}^2}$$

$$bel(x_t) = \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - C_t\bar{\mu}_t) \\ \Sigma_t = (I - K_tC_t)\bar{\Sigma}_t \end{cases} \quad \text{with} \quad K_t = \bar{\Sigma}_tC_t^T (C_t\bar{\Sigma}_tC_t^T + R_t)^{-1}$$

Kalman Filter Updates in 1D







$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = a_t \mu_{t-1} + b_t u_t \\ \bar{\sigma}_t^2 = a_t^2 \sigma_{t-1}^2 + \sigma_{act,t}^2 \end{cases}$$

$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = A_t \mu_{t-1} + B_t u_t \\ \bar{\Sigma}_t = A_t \Sigma_{t-1} A_t^T + Q_t \end{cases}$$

How to get the magenta one?

→ **State prediction step**

Kalman Filter Updates



Linear Gaussian Systems: Initialization

- Initial belief is normally distributed:

$$bel(x_0) = N(x_0; \mu_0, \Sigma_0)$$

Linear Gaussian Systems: Dynamics

- Dynamics are linear function of state and control plus additive noise:

$$x_t = A_t x_{t-1} + B_t u_t + \varepsilon_t$$

$$p(x_t | u_t, x_{t-1}) = N(x_t; A_t x_{t-1} + B_t u_t, Q_t)$$

$$\begin{array}{ccc} \overline{bel}(x_t) = \int p(x_t | u_t, x_{t-1}) & & bel(x_{t-1}) dx_{t-1} \\ \Downarrow & & \Downarrow \\ \sim N(x_t; A_t x_{t-1} + B_t u_t, Q_t) & \sim & N(x_{t-1}; \mu_{t-1}, \Sigma_{t-1}) \end{array}$$

Linear Gaussian Systems: Dynamics

$$\overline{bel}(x_t) = \int p(x_t | u_t, x_{t-1}) \quad bel(x_{t-1}) dx_{t-1}$$

$$\Downarrow$$
$$\Downarrow$$

$$\sim N(x_t; A_t x_{t-1} + B_t u_t, Q_t) \quad \sim N(x_{t-1}; \mu_{t-1}, \Sigma_{t-1})$$

$$\Downarrow$$

$$\overline{bel}(x_t) = \eta \int \exp\left\{-\frac{1}{2}(x_t - A_t x_{t-1} - B_t u_t)^T Q_t^{-1}(x_t - A_t x_{t-1} - B_t u_t)\right\} \\ \exp\left\{-\frac{1}{2}(x_{t-1} - \mu_{t-1})^T \Sigma_{t-1}^{-1}(x_{t-1} - \mu_{t-1})\right\} dx_{t-1}$$

$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = A_t \mu_{t-1} + B_t u_t \\ \bar{\Sigma}_t = A_t \Sigma_{t-1} A_t^T + Q_t \end{cases}$$

Linear Gaussian Systems: Observations

- Observations are linear function of state plus additive noise:

$$z_t = C_t x_t + \delta_t$$

$$p(z_t | x_t) = N(z_t; C_t x_t, R_t)$$

$$\begin{array}{ccc} \text{bel}(x_t) = \eta & p(z_t | x_t) & \overline{\text{bel}}(x_t) \\ & \Downarrow & \Downarrow \\ & \sim N(z_t; C_t x_t, R_t) & \sim N(x_t; \bar{\mu}_t, \bar{\Sigma}_t) \end{array}$$

Linear Gaussian Systems: Observations

$$\begin{aligned} bel(x_t) &= \eta \quad p(z_t | x_t) && \overline{bel}(x_t) \\ &\quad \Downarrow && \Downarrow \\ &\sim N(z_t; C_t x_t, R_t) && \sim N(x_t; \bar{\mu}_t, \bar{\Sigma}_t) \\ &\quad \Downarrow \\ bel(x_t) &= \eta \exp\left\{-\frac{1}{2}(z_t - C_t x_t)^T R_t^{-1}(z_t - C_t x_t)\right\} \exp\left\{-\frac{1}{2}(x_t - \bar{\mu}_t)^T \bar{\Sigma}_t^{-1}(x_t - \bar{\mu}_t)\right\} \\ \\ bel(x_t) &= \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - C_t \bar{\mu}_t) \\ \Sigma_t = (I - K_t C_t) \bar{\Sigma}_t \end{cases} && \text{with } K_t = \bar{\Sigma}_t C_t^T (C_t \bar{\Sigma}_t C_t^T + R_t)^{-1} \end{aligned}$$

Kalman Filter Algorithm

1. Algorithm **Kalman_filter**($\mu_{t-1}, \Sigma_{t-1}, u_t, z_t$):

2. Prediction:

3. $\bar{\mu}_t = A_t \mu_{t-1} + B_t u_t$

4. $\bar{\Sigma}_t = A_t \Sigma_{t-1} A_t^T + Q_t$

5. Correction:




6. $K_t = \bar{\Sigma}_t C_t^T (C_t \bar{\Sigma}_t C_t^T + R_t)^{-1}$

7. $\mu_t = \bar{\mu}_t + K_t (z_t - C_t \bar{\mu}_t)$

8. $\Sigma_t = (I - K_t C_t) \bar{\Sigma}_t$

9. Return μ_t, Σ_t

Kalman Filter Algorithm




Kalman Filter Algorithm

- Prediction

$$\hat{\mathbf{x}}(k+1|k) = f(\hat{\mathbf{x}}(k|k), \mathbf{u}(k+1))$$

$$\mathbf{P}(k+1|k) = \nabla f_x \mathbf{P}(k|k) \nabla f_x^T + \nabla f_u \mathbf{U}(k+1) \nabla f_u^T$$



- Matching


$$\mathbf{v}_{ij}(k+1) = \mathbf{z}_i(k+1) - h(\hat{\mathbf{x}}(k+1|k), m_j)$$

- Correction

$$\hat{\mathbf{x}}(k+1|k+1) = \hat{\mathbf{x}}(k+1|k) + \mathbf{W}(k+1)\mathbf{v}(k+1)$$


$$\mathbf{P}(k+1|k+1) = \mathbf{P}(k+1|k) - \mathbf{W}(k+1)\mathbf{S}(k+1)\mathbf{W}^T(k+1)$$

The Prediction-Correction-Cycle




$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = a_t \mu_{t-1} + b_t u_t \\ \bar{\sigma}_t^2 = a_t^2 \sigma_t^2 + \sigma_{act,t}^2 \end{cases}$$

$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = A_t \mu_{t-1} + B_t u_t \\ \bar{\Sigma}_t = A_t \Sigma_{t-1} A_t^T + Q_t \end{cases}$$




The Prediction-Correction-Cycle



$$bel(x_t) = \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - \bar{\mu}_t) \\ \sigma_t^2 = (1 - K_t)\bar{\sigma}_t^2 \end{cases}, K_t = \frac{\bar{\sigma}_t^2}{\bar{\sigma}_t^2 + \bar{\sigma}_{obs,t}^2}$$

$$bel(x_t) = \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - C_t\bar{\mu}_t) \\ \Sigma_t = (I - K_tC_t)\bar{\Sigma}_t \end{cases}, K_t = \bar{\Sigma}_tC_t^T(C_t\bar{\Sigma}_tC_t^T + R_t)^{-1}$$



Correction

The Prediction-Correction-Cycle



$$bel(x_t) = \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - \bar{\mu}_t) \\ \sigma_t^2 = (1 - K_t)\bar{\sigma}_t^2 \end{cases}, K_t = \frac{\bar{\sigma}_t^2}{\bar{\sigma}_t^2 + \bar{\sigma}_{obs,t}^2}$$

$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = a_t \mu_{t-1} + b_t u_t \\ \bar{\sigma}_t^2 = a_t^2 \sigma_{t-1}^2 + \sigma_{act,t}^2 \end{cases}$$

$$bel(x_t) = \begin{cases} \mu_t = \bar{\mu}_t + K_t(z_t - C_t \bar{\mu}_t) \\ \Sigma_t = (I - K_t C_t) \bar{\Sigma}_t \end{cases}, K_t = \bar{\Sigma}_t C_t^T (C_t \bar{\Sigma}_t C_t^T + R_t)^{-1}$$

$$\overline{bel}(x_t) = \begin{cases} \bar{\mu}_t = A_t \mu_{t-1} + B_t u_t \\ \bar{\Sigma}_t = A_t \Sigma_{t-1} A_t^T + Q_t \end{cases}$$



Kalman Filter Summary

- **Highly efficient:** Polynomial in the measurement dimensionality k and state dimensionality n :

$$O(k^{2.376} + n^2)$$

- **Optimal for linear Gaussian systems!**
- Most robotics systems are **nonlinear!**

Nonlinear Dynamic Systems

- Most realistic robotic problems involve nonlinear functions

$$x_t = g(u_t, x_{t-1})$$

$$z_t = h(x_t)$$

EKF Linearization: First Order Taylor Series Expansion

- Prediction:

$$g(u_t, x_{t-1}) \approx g(u_t, \mu_{t-1}) + \frac{\partial g(u_t, \mu_{t-1})}{\partial x_{t-1}} (x_{t-1} - \mu_{t-1})$$

$$g(u_t, x_{t-1}) \approx g(u_t, \mu_{t-1}) + G_t (x_{t-1} - \mu_{t-1})$$

- Correction:

$$h(x_t) \approx h(\bar{\mu}_t) + \frac{\partial h(\bar{\mu}_t)}{\partial x_t} (x_t - \bar{\mu}_t)$$

$$h(x_t) \approx h(\bar{\mu}_t) + H_t (x_t - \bar{\mu}_t)$$

EKF Algorithm

1. **Extended_Kalman_filter**($\mu_{t-1}, \Sigma_{t-1}, u_t, z_t$):

2. Prediction:

3. $\bar{\mu}_t = g(u_t, \mu_{t-1})$ ← $\bar{\mu}_t = A_t \mu_{t-1} + B_t u_t$

4. $\bar{\Sigma}_t = G_t \Sigma_{t-1} G_t^T + Q_t$ ← $\bar{\Sigma}_t = A_t \Sigma_{t-1} A_t^T + Q_t$

5. Correction:

6. $K_t = \bar{\Sigma}_t H_t^T (H_t \bar{\Sigma}_t H_t^T + R_t)^{-1}$ ← $K_t = \bar{\Sigma}_t C_t^T (C_t \bar{\Sigma}_t C_t^T + R_t)^{-1}$

7. $\mu_t = \bar{\mu}_t + K_t (z_t - h(\bar{\mu}_t))$ ← $\mu_t = \bar{\mu}_t + K_t (z_t - C_t \bar{\mu}_t)$




8. $\Sigma_t = (I - K_t H_t) \bar{\Sigma}_t$ ← $\Sigma_t = (I - K_t C_t) \bar{\Sigma}_t$

9. **Return** μ_t, Σ_t




$$H_t = \frac{\partial h(\bar{\mu}_t)}{\partial x_t}$$

$$G_t = \frac{\partial g(u_t, \mu_{t-1})}{\partial x_{t-1}}$$




Linearity Assumption Revisited






Non-linear Function



EKF Linearization (1)



EKF Linearization (2)



EKF Linearization (3)

